Trying 81500...Open

PLEASE ENTER HOST PORT ID: INVALID PORT POOL ID ENTERED PLEASE REENTER HOST PORT ID:x LOGINID:d183glk PASSWORD:

TERMINAL (ENTER 1, 2, 3, 4, OR ?):3

```
Welcome to MESSENGER (APS Text) at USPTO
      The USPTO production files are current through:
      02 DEC 1997 for U.S. Patent Text Data.
      02 DEC 1997 for U.S. Current Classification data.
      02 DEC 1997 for U.S. Patent Image Data.
         * PLEASE USE 305-9000 FOR NEW TELEPHONE NUMBER *
  * More U.S. patent data is now available on APS. The new
  * USOCR file contains patents issued in 1970, plus some
  * patents that were missing from the USPAT file. See the
  * Patents News Folder under the Public Folders in e-mail for
 * more information on using the new file. Thank you.
 DISCLAIMER:
    Neither the United States Government, nor any agency
    thereof, nor any of their contractors, subcontractors or
    employees make any warranty, expressed or implied,
    including any warranty of marketability of fitness for a
    particular purpose; nor assumes any legal liability or
    responsibility for any party's use, or the results of
    such, of the data.
    Help Desk --> 703-305-9000
      The Help Desk is staffed for APS support 7 days/week.
        Monday through Friday:
                                  6:30am - 9:00pm
        Saturday, Sunday, Holidays: 8:30am - 5:00 pm
      The Help Desk staff at this number will handle all APS
      related questions.
     * * * * * * * * * * *
      >>>>>> NEW SUNDAY HOURS ]]]] <<<<<<
      The APS is available:
             6:30am - 9:00pm Monday through Friday
             7:30am - 5:00pm Saturday, Sunday, Holidays
       APS is unavailable Thanksgiving Day, Christmas Day,
        and New Year's Day.
FILE 'USPAT' ENTERED AT 11:33:42 ON 08 DEC 1997
```

WELCOME

т о

THE

=> s kunz, gary 1?/xp

L1 161 KUNZ, GARY L?/XP

=> s DNA and coprecipitate

21389 DNA

1100 COPRECIPITATE

L2 70 DNA AND COPRECIPITATE

=> s L1 and L2

L3 0 L1 AND L2

=> s coprecipitant and DNA

34 COPRECIPITANT

21389 DNA

L4 3 COPRECIPITANT AND DNA

=> d L4 1-3

- 1. 5,602,011, Feb. 11, 1997, Purified Thermococcus barossii **DNA** polymerase; Robert A. Luhm, et al., 435/91.2, 194; 536/23.2 :IMAGE AVAILABLE:
- 2. 5,512,431, Apr. 30, 1996, Methods of screening for nucleoside analogs that are incorporated by HIV reverse transcriptase and cause incorrect base pairing; Lawrence A. Loeb, et al., 435/5, 6: IMAGE AVAILABLE:
- 3. 4,654,326, Mar. 31, 1987, Inhibition of plant viruses with oligonucleotides; Yair Devash, 514/47, 48, 49; 536/25.2, 26.26 :IMAGE AVAILABLE:

=> d his

(FILE 'USPAT' ENTERED AT 11:33:42 ON 08 DEC 1997)

L1 161 S KUNZ, GARY L?/XP

L2 70 S DNA AND COPRECIPITATE

L3 0 S L1 AND L2

L4 3 S COPRECIPITANT AND DNA

=> s L1 and L4

L5 0 L1 AND L4

=> s linear(W)copolymer

320257 LINEAR

109537 COPOLYMER

L6 627 LINEAR (W) COPOLYMER

=> s L6 and L1

L7 0 L6 AND L1

=> d L1 1-161

- 1. 5,693,785, Dec. 2, 1997, Purification of DNA on Hydroxylated Silicas; Daniel Lee Woodard, et al., 536/25.4; 423/335; 435/91.1, 975 :IMAGE AVAILABLE:
- 2. 5,693,784, Dec. 2, 1997, Methods for creating agglomerates from colloidal particles; Steven J. Ekenberg, 536/25.4; 435/91.1, 91.4;

536/25.42 :IMAGE AVAILABLE:

- 3. 5,693,620, Dec. 2, 1997, Plasmalopsychosines and plasmalocerebrosides; Edward Nudelman, et al., 514/25; 536/17.9 :IMAGE AVAILABLE:
- 4. 5,691,320, Nov. 25, 1997, Acylated pyrimidine nucleosides for treatment of systemic inflammation and inflammatory hepatitis; Reid W. von Borstel, et al., 514/50, 49: IMAGE AVAILABLE:
- 5. 5,688,774, Nov. 18, 1997, A.sub.3 adenosine receptor agonists; Kenneth A. Jacobson, et al., 514/46, 45; 536/26.7, 27.14 :IMAGE AVAILABLE:
- 6. 5,684,148, Nov. 4, 1997, Nucleoside thiophosphoramidites; Marvin H. Caruthers, et al., 536/26.1, 26.7, 26.8 :IMAGE AVAILABLE:
- 7. 5,683,991, Nov. 4, 1997, Blocking the attachment of germs to human cells; Josef Peter Guggenbichler, et al., 514/55; 536/114, 123.1 :IMAGE AVAILABLE:
- 8. 5,683,989, Nov. 4, 1997, Treatment of ischemias by administration of 2,N.sup.6 -substituted adenosines; Jesper Lau, et al., 514/46; 536/27.61, 27.62, 27.63, 27.7: IMAGE AVAILABLE:
- 9. 5,681,943, Oct. 28, 1997, Method for covalently linking adjacent oligonucleotides; Robert Lewis Letsinger, et al., 536/25.33, 24.5, 25.3:IMAGE AVAILABLE:
- 10. 5,681,939, Oct. 28, 1997, Direct esterification of propoxylated glycerin; Michael R. Ferenz, 536/18.6; 554/124 :IMAGE AVAILABLE:
- 11. 5,679,572, Oct. 21, 1997, Separation of chiral compounds on polysaccharide supports; Yoshio Okamoto, et al., 210/730; 436/161; 502/232; 536/123.1, 124 :IMAGE AVAILABLE:
- 12. 5,679,532, Oct. 21, 1997, Serum ferritin as a predictor of the acute respiratory distress syndrome; John E. Repine, 435/7.1, 7.4, 26, 27, 975: IMAGE AVAILABLE:
- 13. 5,677,441, Oct. 14, 1997, Nucleosides, nucleotides and oligonucleotides containing enzymatically cleavable protecting groups; Herbert Waldman, et al., 536/26.12, 24.3, 26.1, 26.8, 27.3, 28.5, 28.53: IMAGE AVAILABLE:
- 14. 5,677,290, Oct. 14, 1997, Therapeutic use of adenosine compounds as surgical anesthetics; Atsuo F. Fukunaga, 514/46, 47; 536/26.23, 26.26, 26.7, 27.6 :IMAGE AVAILABLE:
- 15. 5,674,997, Oct. 7, 1997, DNA purification on modified siligates; Daniel Lee Woodard, et al., 536/25.4; 435/91.1 :IMAGE AVAILABLE:
- 16. 5,672,698, Sep. 30, 1997, Preparation of 2',3'-didehydro-3'-deoxythymidine from 5-methyluridine; Bang-Chi Chen, et al., 536/55.3, 28.54 :IMAGE AVAILABLE:
- 17. 5,672,697, Sep. 30, 1997, Nucleoside 5'-methylene phosphonates; Chris Buhr, et al., 536/26.7, 26.8 :IMAGE AVAILABLE:
- 18. 5,672,696, Sep. 30, 1997, Treatment of paraffin embedded tissue for

- gene analysis; Lu Wang, et al., 536/25.42, 25.4, 25.41 :IMAGE AVAILABLE:
- 19. 5,670,154, Sep. 23, 1997, Reducing tyrosinase activity; Yukihiko Hara, et al., 424/195.1; 514/456, 783; 549/399 :IMAGE AVAILABLE:
- 20. 5,668,270, Sep. 16, 1997, Process for the preparation of fludarabine or fludarabine phosphate from guanosine; John G. Bauman, et al., 536/26.71, 55.3 :IMAGE AVAILABLE:
- 21. 5,668,113, Sep. 16, 1997, Method of using 1,5-anhydrohexitol nucleoside analogues to treat viral infections; Erik Desire Alice De Clercq, et al., 514/42, 45, 48, 49, 52 :IMAGE AVAILABLE:
- 22. 5,665,709, Sep. 9, 1997, Polysubstituted benzimidazole nucleosides as antiviral agents; Leroy B. Townsend, et al., 514/43; 536/28.9 :IMAGE AVAILABLE:
- 23. 5,663,323, Sep. 2, 1997, Synthesis of 4-alkoxy-5-fluoro-2'-deoxyuridine and its incorporation into oligonocleotides; Lawrence C. Sowers, 536/55.3, 25.3 :IMAGE AVAILABLE:
- 24. 5,663,321, Sep. 2, 1997, Oligonucleotide prodrugs containing 5-fluorouracil; William H. Gmeiner, et al., 536/25.5; 424/152.1 :IMAGE AVAILABLE:
- 25. 5,663,154, Sep. 2, 1997, 2',3'-dideoxy-3'-fluoro-purine ribonucleosides; Charlene Louise Burns, et al., 514/45, 46; 536/27.14:IMAGE AVAILABLE:
- 26. 5,658,880, Aug. 19, 1997, Sialic acid/fucose based medicaments; Falguni Dasgupta, et al., 514/8, 2, 24, 25, 42, 43, 52, 53, 54, 61, 62; 530/322; 536/4.1, 17.2, 17.3, 17.4, 17.5, 17.6, 17.9, 18.1, 18.4, 18.7, 115, 116, 117, 118, 119, 120, 121, 122, 123.13 : IMAGE AVAILABLE:
- 27. 5,658,548, Aug. 19, 1997, Nucleic acid purification on silica gel and glass mixtures; Vikas V. Padhye, et al., 423/335; 428/406; 435/91.1; 536/25.42 :IMAGE AVAILABLE:
- 28. 5,656,742, Aug. 12, 1997, Ring-opened purine compounds for labeling polynucleotides; Mead M. McCabe, 536/24.3, 24.31, 24.32, 24.33, 26.1, 26.2 :IMAGE AVAILABLE:
- 29. 5,654,283, Aug. 5, 1997, Polysubstituted benzimidazoles as antiviral agents; Leroy B. Townsend, et al., 514/43; 548/305.1 :IMAGE AVAILABLE:
- 30. 5,654,163, Aug. 5, 1997, Indophenol substituted maltooligosides as .alpha.-amylase substrates; Martina Junius-Comer, et al., 435/22, 4, 14, 183, 201; 536/1.11, 4.1 :IMAGE AVAILABLE:
- 31. 5,652,359, Jul. 29, 1997, Oligonucleotides containing n-methyl thiolated bases having antiviral activity; Rich B. Meyer, Jr., et al., 536/25.5 :IMAGE AVAILABLE:
- 32. 5,652,221, Jul. 29, 1997, Method of treating defective glucose metabolism using synthetic insulin substances; Joseph Larner, et al., 514/35, 25, 62, 866; 536/17.2 :IMAGE AVAILABLE:
- 33. 5,648,343, Jul. 15, 1997, Method for treating LPS-mediated disorders; Russell W. Carlson, 514/53; 536/17.2, 17.4, 18.7, 55, 123.13:IMAGE AVAILABLE:

- 34. 5,646,263, Jul. 8, 1997, High efficiency method for isolating target substances using a multisample separation device; Steven J. Ekenberg, et al., 536/25.4; 435/7.1 :IMAGE AVAILABLE:
- 35. 5,646,131, Jul. 8, 1997, Method for solubilizing drugs using cyclodextrins and carboxylic acids; Adnan Badwan, et al., 514/58, 224.2, 317, 327, 568; 536/103 :IMAGE AVAILABLE:
- 36. 5,646,129, Jul. 8, 1997, Method of using low molecular weight hyaluronic acid for stimulating bone formation; Lanfranco Callegaro, et al., 514/54, 62 :IMAGE AVAILABLE:
- 37. 5,646,125, Jul. 8, 1997, Polysubstituted benzimidazoles as antiviral agents; Leroy B. Townsend, et al., 514/43; 548/305.1 :IMAGE AVAILABLE:
- 38. 5,644,049, Jul. 1, 1997, Biomaterial comprising hyaluronic acid and derivatives thereof in interpenetrating polymer networks (IPN); Paolo Giusti, et al., 536/53; 523/113, 114, 115; 536/18.7, 55, 55.1, 55.2 :IMAGE AVAILABLE:
- 39. 5,644,048, Jul. 1, 1997, Process for preparing phosphorothioate oligonucleotides; Eric K. Yau, 536/25.3, 25.31, 25.33, 25.34 :IMAGE AVAILABLE:
- 40. 5,643,874, Jul. 1, 1997, Pharmaceutical composition comprising a glucosidase and/or amylase inhibitor, and a lipase inhibitor; Klaus-Dieter Bremer, et al., 514/12, 13, 54, 909
- 41. 5,643,767, Jul. 1, 1997, Process for isolating cellular components; Vincent A. Fischetti, et al., 435/91.3, 91.1; 536/25.41; 935/19, 20: IMAGE AVAILABLE:
- 42. 5,643,607, Jul. 1, 1997, Prolonged release microcapsules; Hiroaki Okada, et al., 424/493, 461, 489; 514/2, 3, 16, 20, 937 :IMAGE AVAILABLE:
- 43. 5,641,534, Jun. 24, 1997, Fat-type organoleptic ingredients comprising esterified propylene oxide-extended glycerols; John F. White, et al., 426/611, 601, 602, 603, 604, 605; 554/227 :IMAGE AVAILABLE:
- 44. 5,639,875, Jun. 17, 1997, Methods for H-phosphonate syntheis of oligonucleotides using triphosgene; Nandkumar Bhongle, 536/25.34, 25.3: IMAGE AVAILABLE:
- 45. 5,639,874, Jun. 17, 1997, Method for preparing fluorescent-labeled DNA; Lyle Richard Middendorf, et al., 536/25.32; 435/6; 544/142; 548/427:IMAGE AVAILABLE:
- 46. 5,637,574, Jun. 10, 1997, Therapeutic nucleosides; Charlene L. Burns, et al., 514/45; 536/27.14, 27.61 :IMAGE AVAILABLE:
- 47. 5,633,368, May 27, 1997, Partially acylated .beta.-cyclodextrins; Rolf Hirsenkorn, 536/103, 110, 124 :IMAGE AVAILABLE:
- 48. 5,633,357, May 27, 1997, Synthesis of carboxylic acid glucuronides; Marcus A. Tius, et al., 536/18.5, 4.1, 7.1, 18.6; 549/388, 390, 393: IMAGE AVAILABLE:
- 49. 5,633,356, May 27, 1997, 3-deoxyglucosone derivatives; Toshimitsu Niwa, et al., 536/1.11; 436/63 :IMAGE AVAILABLE:

- 50. 5,631,361, May 20, 1997, Method of synthesizing radioisotopically labeled oligonucleotides by direct solid-phase 5' phosphitylation; Weitian Tan, et al., 536/25.33, 25.3 : IMAGE AVAILABLE:
- 51. 5,631,360, May 20, 1997, N-phthaloyl-protected 2'-amino-nucleoside phosphoramdites; Nassim Usman, et al., 536/25.31, 26.1 :IMAGE AVAILABLE:
- 52. 5,631,238, May 20, 1997, Spicamycin derivatives and the use thereof; Noboru Otake, et al., 514/45; 536/27.21 :IMAGE AVAILABLE:
- 53. 5,629,299, May 13, 1997, Hydrolytic stabilizer for unstable organic ions; Nesbitt D. Brown, et al., 514/58, 277 : IMAGE AVAILABLE:
- 54. 5,629,150, May 13, 1997, Methods for characterizing phosphorothioate oligonucleotides; Tadeusz K. Wyrzykiewicz, 435/6, 91.1; 536/25.3, 25.4: IMAGE AVAILABLE:
- 55. 5,627,276, May 6, 1997, Peroxide degradation of DNA for visocity reduction; William Greer, 536/25.3; 435/6, 135, 145, 259 :IMAGE AVAILABLE:
- 56. 5,625,057, Apr. 29, 1997, Process for preparing 2',3'-Dideoxy-2',3'-dehydronucleosides; Hiroshi Shiragami, et al., 536/55.3, 28.2 :IMAGE AVAILABLE:
- 57. 5,625,052, Apr. 29, 1997, Method for preparing 3'-nitrogen containing polynucleotides; Sam L. Woo, et al., 536/25.34, 25.3, 25.32, 25.33 :IMAGE AVAILABLE:
- 58. 5,625,046, Apr. 29, 1997, Hydroxyl projecting groups for organic synthesis; Colin B. Reese, 536/22.1, 26.8, 27.6, 27.81, 28.5, 28.53; 546/192, 194, 242 :IMAGE AVAILABLE:
- 59. 5,624,913, Apr. 29, 1997, Method reducing TNF-alpha in mammals with cerebral malaria; Richard A. Proctor, et al., 514/47, 895; 536/26.23, 26.26, 27.63 : IMAGE AVAILABLE:
- 60. 5,624,839, Apr. 29, 1997, Process for culturing hepatocytes for formation of spheroids; Toshikazu Yada, et al., 435/378, 395, 402; 514/54, 56; 536/21, 53, 54, 55, 55.1, 123.1, 124 :IMAGE AVAILABLE:
- 61. 5,623,068, Apr. 22, 1997, Synthesis of DNA using substituted phenylacetyl-protected nucleotides; M. Parameswara Reddy, et al., 536/25.34, 25.3, 26.1 :IMAGE AVAILABLE:
- 62. 5,622,937, Apr. 22, 1997, Compositions and methods of inhibiting the binding of E-selectin or P-selectin or sialyl-Lewis.sup.x or sialyl-Lewis.sup.a; Timothy P. Kogan, et al., 514/25; 536/4.1, 17.2, 18.4:IMAGE AVAILABLE:
- 63. 5,622,936, Apr. 22, 1997, Tumor inhibiting saccharide conjugates; Manfred Wiessler, et al., 514/25, 54, 118; 536/17.9, 18.5, 117 :IMAGE AVAILABLE:
- 64. 5,621,086, Apr. 15, 1997, Sialic acid derivative and method of manufacturing it; Yasuhiro Kajihara, et al., 536/17.4, 18.5, 18.6, 26.1, 26.7, 26.71, 26.72, 26.74, 27.1, 27.6, 27.81, 28.1, 28.4, 28.5, 28.53, 28.54, 28.55, 28.6, 53, 55.3 : IMAGE AVAILABLE:

- 65. 5,620,858, Apr. 15, 1997, Method of removing shiga-like toxins from biological samples; Glen D. Armstrong, et al., 435/7.8; 210/656, 666; 435/7.37; 436/527, 541; 514/54; 530/413; 536/53, 124 :IMAGE AVAILABLE:
- 66. 5,616,566, Apr. 1, 1997, Method of inhibiting HIV replication with 2',3'-dideoxyadenosine; Hiroaki Mitsuya, et al., 514/47, 46; 536/26.26, 27.6 :IMAGE AVAILABLE:
- 67. 5,614,615, Mar. 25, 1997, Sialyl Lewis X mimetics incorporating fucopeptides; Chi-Huey Wong, 536/17.9; 530/322; 536/29.1 :IMAGE AVAILABLE:
- 68. 5,614,505, Mar. 25, 1997, Method of treating cancer with homo-oligonuleotides of 5-FU 5'-monophosphate; William H. Gmeiner, et al., 514/50; 536/25.5, 25.6 :IMAGE AVAILABLE:
- 69. 5,614,391, Mar. 25, 1997, m-RNA purification; Phillip P. Franciskovich, et al., 435/91.3; 536/25.42 :IMAGE AVAILABLE:
- 70. 5,612,474, Mar. 18, 1997, Acid labile immunoconjugate intermediates; Vinod F. Patel, 536/27.14, 7.1 :IMAGE AVAILABLE:
- 71. 5,612,319, Mar. 18, 1997, Postexposure prevention of HIV infection or seroconversion; Bo F. Oberg, 514/49, 885; 536/28.2, 28.5 :IMAGE AVAILABLE:
- 72. 5,608,047, Mar. 4, 1997, Cyclic ADP-ribose and analogs; Charles J. Sih, 536/26.26, 26.23, 26.24 :IMAGE AVAILABLE:
- 73. 5,607,922, Mar. 4, 1997, 1,5-anhydrohexitol nucleoside analogues; Erik D. A. De Clercq, et al., 514/43; 536/27.14, 28.2 :IMAGE AVAILABLE:
- 74. 5,606,036, Feb. 25, 1997, Antibiotic A 40926 ester derivatives; Rolf H. Hermann, et al., 536/4.1, 7.1, 17.2, 17.3, 17.4, 115, 120 :IMAGE AVAILABLE:
- 75. 5,605,893, Feb. 25, 1997, Method of using a therapeutic food composition to diminish blood sugar fluctuations in diabetic patients; Francine Kaufman, 514/60; 424/439, 441; 426/808; 514/54, 866 :IMAGE AVAILABLE:
- 76. 5,604,207, Feb. 18, 1997, Sialyl Le.sup.x analogues as inhibitors of cellular adhesion; Shawn A. DeFrees, et al., 514/25, 54, 61, 62; 536/17.2, 55, 55.1, 55.2, 63, 64, 65: IMAGE AVAILABLE:
- 77. 5,603,978, Feb. 18, 1997, Esterified propylene oxide-extended glycerols useful as fat substitutes; John F. White, et al., 426/611, 601, 602, 603, 605, 804; 436/71; 554/227 :IMAGE AVAILABLE:
- 78. 5,602,246, Feb. 11, 1997, Process for the preparation of fludarabine or fludarabine phosphate from guanosine; John G. Bauman, et al., 536/55.3, 26.3, 27.61, 27.63 :IMAGE AVAILABLE:
- 79. 5,602,245, Feb. 11, 1997, One vessel stereoselective glycosylation of purines and pyrimidines; Julie Wurster, et al., 536/55.3, 27.6, 27.81, 28.1; 549/479; 568/65 :IMAGE AVAILABLE:
- 80. 5,602,244, Feb. 11, 1997, Polynucleotide phosphorodithioate compounds; Marvin H. Caruthers, et al., 536/25.6, 24.5 :IMAGE AVAILABLE:

- 81. 5,601,799, Feb. 11, 1997, Partially delipidated D25 polysaccaride composition for imaging and diagnosis; Hans Binz, et al., 424/1.73, 9.35, 9.6; 435/101; 514/8, 54; 530/322; 536/1.11, 4.1, 18.5, 18.7, 119, 123: IMAGE AVAILABLE:
- 82. 5,599,921, Feb. 4, 1997, Oligonucleotide families useful for producing primers; Joseph A. Sorge, et al., 536/24.33 :IMAGE AVAILABLE:
- 83. 5,599,916, Feb. 4, 1997, Chitosan salts having improved absorbent properties and process for the preparation thereof; Jacek Dutkiewicz, et al., 536/20; 424/443, 488; 536/55.3, 124 :IMAGE AVAILABLE:
- 84. 5,599,915, Feb. 4, 1997, Sialyl Lewis X mimetics; Chi-Huey Wong, et al., 536/18.7; 549/417; 562/553 :IMAGE AVAILABLE:
- 85. 5,599,801, Feb. 4, 1997, Purified heparin fractions, method for obtaining them and pharmaceutical compositions containing them; Jean-Fran.cedilla.ois Branellec, et al., 514/56; 536/21, 124:IMAGE AVAILABLE:
- 86. 5,596,094, Jan. 21, 1997, Process for preparing 2' -0- alkyl adenosine derivatives; Mahavir Prashad, et al., 536/55.3, 27.6 :IMAGE AVAILABLE:
- 87. 5,596,093, Jan. 21, 1997, Process for preparing halogenated 2,3-O-cyclocytidine derivatives; Bruno K. Radatus, et al., 536/55.3, 28.52 :IMAGE AVAILABLE:
- 88. 5,596,086, Jan. 21, 1997, Modified internucleoside linkages having one nitrogen and two carbon atoms; Mark Matteucci, et al., 536/22.1, 24.3, 24.5 :IMAGE AVAILABLE:
- 89. 5,593,969, Jan. 14, 1997, Lipid-A analogs: monosaccharide and dissaccharide compounds for inhibiting binding of lipid A receptors to lipid A receptors; Balreddy Kamireddy, et al., 514/25, 53, 54; 536/17.1, 18.7, 52, 53, 55.3, 117 :IMAGE AVAILABLE:
- 90. 5,593,829, Jan. 14, 1997, Method for labeling DNA by ring-opening of purine bases; Mead M. McCabe, 435/6, 7.1, 975; 536/24.3, 25.32 :IMAGE AVAILABLE:
- 91. 5,589,587, Dec. 31, 1996, Process for the preparation of ribonucleotide reductase inhibitors; James R. McCarthy, et al., 536/28.5, 27.5, 28.52; 544/242 :IMAGE AVAILABLE:
- 92. 5,589,467, Dec. 31, 1996, 2,5',N6-trisubstituted adenosine derivatives; Jesper Lau, et al., 514/46; 536/27.6 :IMAGE AVAILABLE:
- 93. 5,587,472, Dec. 24, 1996, Coumarin-labeled nucleoside 5'-triphosphates; Nanibhushan Dattagupta, et al., 536/26.2, 24.31, 24.32:IMAGE AVAILABLE:
- 94. 5,587,467, Dec. 24, 1996, Separating agent for optical isomers and process for producing the same; Tatsushi Murakami, et al., 536/18.5; 436/527, 529; 502/404, 405; 536/56, 58, 63 :IMAGE AVAILABLE:
- 95. 5,587,364, Dec. 24, 1996, Uses of aloe products in the treatment of inflammatory diseases; Bill H. McAnalley, et al., 514/54, 885, 886; 536/123.1 :IMAGE AVAILABLE:

- 96. 5,585,480, Dec. 17, 1996, Hydrogenated fructooligosaccharides; Manfred Vogel, et al., 536/123; 426/658, 804; 536/123.1, 123.13 :IMAGE AVAILABLE:
- 97. 5,583,236, Dec. 10, 1996, Fluorescein labelled phosphoramidites; Charles K. Brush, 549/220; 536/24.3; 549/223, 225 :IMAGE AVAILABLE:
- 98. 5,583,208, Dec. 10, 1996, Ganglioside GM3 derivatives containing fluorine in ceramide portion; Takao Iida, et al., 536/17.9, 17.2, 18.4, 18.5; 552/10; 568/495 :IMAGE AVAILABLE:
- 99. 5,583,117, Dec. 10, 1996, Acylated uridine and cytidine for elevating tissue uridine and cytidine; Reid von Borstel, et al., 514/50, 49; 536/28.5, 28.53 :IMAGE AVAILABLE:
- 100. 5,580,973, Dec. 3, 1996, Process for preparing optically active nucleosides from chiral cyclobutanones; Edward Lee-Ruff, et al., 536/55.3, 27.1, 28.1 :IMAGE AVAILABLE:
- 101. 5,580,966, Dec. 3, 1996, Process for the synthesis of polyol fatty acid polyesters; Markus G. Buter, et al., 536/18.6, 112 :IMAGE AVAILABLE:
- 102. 5,580,860, Dec. 3, 1996, Pharmaceutical composition containing 2-amino-6-chloropurine-9-.beta.-D-2',3'-dideoxyribofuranoxside; Eiji Kojima, et al., 514/45; 536/27.14 :IMAGE AVAILABLE:
- 103. 5,578,717, Nov. 26, 1996, Nucleotides for introducing selectably cleavable and/or abasic sites into oligonucleotides; Michael S. Urdea, et al., 536/26.1, 24.3, 24.31, 24.32 :IMAGE AVAILABLE:
- 104. 5,576,305, Nov. 19, 1996, Intercellular adhesion mediators; Robert M. Ratcliffe, 514/25, 54, 62; 536/17.2, 53, 55.2 :IMAGE AVAILABLE:
- 105. 5,576,304, Nov. 19, 1996, Antithrombotic composition; Vijay V. Kakkar, et al., 514/56, 54; 536/21, 54, 112, 118 : IMAGE AVAILABLE:
- 106. 5,574,149, Nov. 12, 1996, Method of treating HIV infections with 2',3'-dideoxy-3'-fluoro-5-chlorouridine; Joel Van Tuttle, et al., 536/50, 28.55 :IMAGE AVAILABLE:
- 107. 5,574,146, Nov. 12, 1996, Oligonucleotide synthesis with substituted aryl carboxylic acids as activators; M. Parameswara Reddy, et al., 536/25.34, 26.1, 55.3 :IMAGE AVAILABLE:
- 108. 5,574,058, Nov. 12, 1996, Polysubstituted benzimidazoles as antiviral agents; Leroy B. Townsend, et al., 514/394, 395; 548/306.4, 307.4, 310.1 :IMAGE AVAILABLE:
- 109. 5,571,901, Nov. 5, 1996, Insecticide and miticide compositions containing A83543 compounds; LaVerne D. Boeck, et al., 536/7.1; 424/405; 435/76; 536/6.5 :IMAGE AVAILABLE:
- 110. 5,571,799, Nov. 5, 1996, (2'-5') oligoadenylate analogues useful as inhibitors of host-v5.-graft response; Zenovy Tkachuk, et al., 514/47; 536/25.5: IMAGE AVAILABLE:
- 111. 5,569,680, Oct. 29, 1996, Method of treating inflammatory bowel disease with tributyrin; Gary D. Wu, 514/786; 554/30, 174 :IMAGE AVAILABLE:

- 112. 5,567,689, Oct. 22, 1996, Methods for increasing uridine levels with L-nucleosides; Jean-Pierre Sommadossi, et al., 514/50, 49, 68, 218, 533 :IMAGE AVAILABLE:
- 113. 5,565,463, Oct. 15, 1996, 9-subtituted-8-unsubstituted-9-deazaguanines; John A. Secrist, III, et al., 514/265, 263; 544/269 :IMAGE AVAILABLE:
- 114. 5,565,433, Oct. 15, 1996, Sulfated .beta.-glycolipid derivatives as cell adhesion inhibitors; Jacques Banville, et al., 514/25; 536/17.5, 17.6, 17.9 :IMAGE AVAILABLE:
- 115. 5,563,257, Oct. 8, 1996, Phospholipid derivatives of nucleosides; Harald Zilch, et al., 536/26.14, 26.1 : IMAGE AVAILABLE:
- 116. 5,563,252, Oct. 8, 1996, Polymerizable saccharide monomers which contain a single, polymerizable, .alpha.-methyl styryl moiety; John S. Thomaides, et al., 536/18.7, 22.1, 55.3 :IMAGE AVAILABLE:
- 117. 5,561,119, Oct. 1, 1996, Glycosylated prodrugs, their method of preparation and their uses; Jean-Claude Jacquesy, et al., 514/34; 424/146.1, 155.1, 178.1, 179.1, 183.1; 536/6.4, 17.4, 17.7, 18.2, 18.4, 18.5; 556/465 :IMAGE AVAILABLE:
- 118. 5,559,104, Sep. 24, 1996, Procedure for the purification of hyaluronic acid and fraction of pure hyaluronic acid for ophthalmic use; Aurelio Romeo, et al., 514/54, 62, 912; 536/53, 55, 55.1, 55.2, 55.3 :IMAGE AVAILABLE:
- 119. 5,559,103, Sep. 24, 1996, Bivalent sialyl X saccharides; Federico C. A. Gaeta, et al., 514/54, 62, 886, 887; 530/395, 396; 536/53, 54, 55, 55.1, 55.2 :IMAGE AVAILABLE:
- 120. 5,559,102, Sep. 24, 1996, Adenosine and guanosine-3'-5'-cyclic methylphosphonate derivatives; Junichi Yano, et al., 514/46, 47; 536/26.12, 26.13 :IMAGE AVAILABLE:
- 121. 5,556,963, Sep. 17, 1996, Synthesis of 4-alkoxy-N-acetylneuraminic acid; Avraham Liav, et al., 536/55.3, 18.5, 18.6, 53:IMAGE AVAILABLE:
- 122. 5,556,961, Sep. 17, 1996, Nucleosides with 5'-O-photolabile protecting groups; Robert S. Foote, et al., 536/27.1, 27.6, 27.81, 28.5, 28.54 :IMAGE AVAILABLE:
- 123. 5,554,742, Sep. 10, 1996, Preparation of alkyl glycosides; Gerhard Wolf, et al., 536/18.6, 18.5 : IMAGE AVAILABLE:
- 124. 5,554,741, Sep. 10, 1996, Process for the production of alkyl and/or alkenyl oligoglucosides; Franz-Josef Carduck, et al., 536/18.6, 4.1 :IMAGE AVAILABLE:
- 125. 5,552,539, Sep. 3, 1996, Process for the synthesis of ribonucleic acid (RNA) using a novel deprotection reagent; Anne-Marie Duplaa, et al., 536/25.31, 25.3 :IMAGE AVAILABLE:
- 126. 5,552,538, Sep. 3, 1996, Oligonucleotides with cleavable sites; Michael S. Urdea, et al., 536/24.3, 24.31, 24.32, 24.33 :IMAGE AVAILABLE:
- 127. 5,552,471, Sep. 3, 1996, Solid support reagents for the synthesis of 3'-Nitrogen containing polynucleotides; Sam L. Woo, et al., 524/494,

- 492, 493; 525/155, 326.1, 333.5, 333.6; 536/25.3 :IMAGE AVAILABLE:
- 128. 5,550,116, Aug. 27, 1996, N,O-sulphated heparosans and pharmaceutical compositions containing them; Jean Claude Lormeau, et al., 514/56, 53, 54; 536/21, 53, 54, 55, 55.1, 55.2 :IMAGE AVAILABLE:
- 129. 5,550,113, Aug. 27, 1996, Blood sugar regulating composition and methods relating thereto; Morris A. Mann, 514/54; 424/639, 646, 655; 514/506; 536/123.1 :IMAGE AVAILABLE:
- 130. 5,547,944, Aug. 20, 1996, Dermatan sulphate possessing a thrombolytic activity, and pharmaceutical forms containing it; Giuseppe Mascellani, et al., 514/54, 62; 536/53, 54, 55.1, 55.2, 55.3 :IMAGE AVAILABLE:
- 131. 5,547,942, Aug. 20, 1996, Method of treatment of diabetes mellitus by administration of adenosine 5'-t; Eliezer Rapaport, 514/47, 46 :IMAGE AVAILABLE:
- 132. 5,547,858, Aug. 20, 1996, Method for purification of amino acids, nucleic acids using a hydrocyclone; Yoshimi Nagano, et al., 435/89, 87, 106; 536/26.73, 55.3 :IMAGE AVAILABLE:
- 133. 5,545,730, Aug. 13, 1996, Multifunctional nucleic acid monomer; Michael S. Urdea, et al., 536/28.51, 28.5 :IMAGE AVAILABLE:
- 134. 5,541,305, Jul. 30, 1996, Composition compatible with blood; Hideyuki Yokota, et al., 536/21; 523/112; 536/112, 122 :IMAGE AVAILABLE:
- 135. 5,541,304, Jul. 30, 1996, Crosslinked hydrogel compositions with improved mechanical performance; Samuel A. Thompson, 536/20; 424/422, 423, 488; 524/916; 536/21, 102, 106, 114, 123.1, 123.12, 124; 623/1, 12, 900 :IMAGE AVAILABLE:
- 136. 5,539,098, Jul. 23, 1996, 5'-O-propionyl and 5'-O-butyryl esters of 2-amino-6-methoxy-9-(.beta.-D-arabinofuranosyl)-9H-purine; Thomas A. Krenitsky, et al., 536/27.81 :IMAGE AVAILABLE:
- 137. 5,539,091, Jul. 23, 1996, N-alkyl, n-acetylglycosylamines; Mustapha El Ghoul, et al., 536/22.1 :IMAGE AVAILABLE:
- 138. 5,538,955, Jul. 23, 1996, Process for the preparation of iodinated biopolymers having disinfectant and cicatrizing activity, and the iodinated biopolymers obtainable thereby; Alfredo De Rosa, et al., 514/55; 536/20, 124:IMAGE AVAILABLE:
- 139. 5,536,824, Jul. 16, 1996, Organosulfonyl salts of 2,3'-O-cyclocytidine; Khashayar Karimian, et al., 536/28.5 :IMAGE AVAILABLE:
- 140. 5,534,499, Jul. 9, 1996, Lipophilic drug derivatives for use in liposomes; Steve Ansell, 514/25; 424/1.21, 450; 514/2, 34, 449, 463; 536/4.1, 6.4, 17.2, 18.1; 549/432, 510 :IMAGE AVAILABLE:
- 141. 5,534,054, Jul. 9, 1996, Silicon tetrahydrazide for purification of DNA; Daniel L. Woodard, et al., 106/287.11; 435/91.1, 975; 536/25.4 :IMAGE AVAILABLE:
- 142. 5,532,349, Jul. 2, 1996, Process for producing 1-(2'-deoxy-.beta.-D-erythro-pentofuranosyl)-5-trifluoromethyluracil derivatives; Nobuya

- Kawauchi, et al., 536/55.3, 28.54 : IMAGE AVAILABLE:
- 143. 5,530,110, Jun. 25, 1996, 4-ethoxy-5-fluoro-2'-deoxyuridine; Lawrence C. Sowers, 536/28.55, 28.54 :IMAGE AVAILABLE:
- 144. 5,527,900, Jun. 18, 1996, N3-alkyl-2',5'-0-silylated-3'-spirothymidine derivatives; Jan M. R. Balzarini, et al., 536/28.54 :IMAGE AVAILABLE:
- 145. 5,527,782, Jun. 18, 1996, 5-halo-2,3'-O-cyclocytidines; Bruno K. Radatus, et al., 514/49; 536/28.52 : IMAGE AVAILABLE:
- 146. 5,525,319, Jun. 11, 1996, Boron silicates, aluminum silicates, and phosphosilicates for purification of DNA; Daniel L. Woodard, et al., 423/277, 304, 325 : IMAGE AVAILABLE:
- 147. 5,523,392, Jun. 4, 1996, Purification of DNA on aluminum silicates, and phosphosilicates; Daniel L. Woodard, et al., 536/25.4; 435/91.1 :IMAGE AVAILABLE:
- 148. 5,520,899, May 28, 1996, Process for preparing boron, aluminum, and phosphorus silicates for purification of DNA; Daniel L. Woodard, et al., 423/277, 304, 328.1 :IMAGE AVAILABLE:
- 149. 5,516,762, May 14, 1996, Method of treating endotoxin effects with 2-haloadenosine nucleotide analogs; Paul J. Bertics, et al., 514/47, 921:IMAGE AVAILABLE:
- 150. 5,512,667, Apr. 30, 1996, Trifunctional intermediates for preparing 3'-tailed oligonucleotides; Michael W. Reed, et al., 536/24.31, 24.3, 24.32; 546/106; 548/116; 552/544; 556/405 :IMAGE AVAILABLE:
- 151. 5,510,476, Apr. 23, 1996, Carbocation scavenging during oligonucleotide synthesis; Vasulinga Ravikumar, et al., 536/25.31, 25.3, 25.33, 25.34 :IMAGE AVAILABLE:
- 152. 5,510,475, Apr. 23, 1996, Oligonucleotide multiple reporter precursors; Sudhir Agrawal, et al., 536/24.3, 24.31, 24.32 :IMAGE AVAILABLE:
- 153. 5,510,470, Apr. 23, 1996, Chiral, bidentate organophosphorus ligand; Albert L. Casalnuovo, et al., 536/18.4, 4.1; 556/146; 558/338:IMAGE AVAILABLE:
- 154. 5,508,289, Apr. 16, 1996, Bis-acridone chemotherapeutic derivatives; Christopher J. Michejda, et al., 514/287, 288, 297; 546/64, 66, 103 :IMAGE AVAILABLE:
- 155. 5,508,271, Apr. 16, 1996, Treatment of neurological dysfunction with methylcobalamin; Michael Rabinoff, 514/52, 561; 536/26.44; 562/559:IMAGE AVAILABLE:
- 156. 5,506,352, Apr. 9, 1996, Process for the synthesis of 9-(.beta.-D-arabinofuranosyl)adenine, 5'-phosphate; Donald E. Butler, et al., 536/55.3, 26.13 :IMAGE AVAILABLE:
- 157. 5,506,351, Apr. 9, 1996, Process for the preparation of 2'-O-alkyl guanosine and related compounds; Daniel P. C. McGee, 536/55.3, 26.71, 26.72, 27.81 :IMAGE AVAILABLE:

- 158. 5,506,215, Apr. 9, 1996, 1-(3'-fluoro-2',3'-dideoxy-.beta.-D-ribofuranosyl)-5-substituted pyrimidine nucleosides; Karl N. G. Johansson, et al., 514/50, 49; 536/28.2 :IMAGE AVAILABLE:
- 159. 5,492,898, Feb. 20, 1996, Method of treating endotoxin effects with 2-methylthio-ATP and analogs; Paul J. Bertics, et al., 514/47, 921 :IMAGE AVAILABLE:
- 160. 5,484,902, Jan. 16, 1996, Organophosphorus saccharide nickel catalyst; Albert L. Casalnuovo, et al., 536/18.4, 4.1; 556/146; 558/338:IMAGE AVAILABLE:
- 161. 5,476,932, Dec. 19, 1995, Process for producing N4-acyl-5'-deoxy-5-fluorocytidine derivatives; Herbert R. Brinkman, et al., 536/55.3, 28.53 :IMAGE AVAILABLE:
- => s colored(P)DNA(W)precipitate 86656 COLORED 21389 DNA 104032 PRECIPITATE
- L8 0 COLORED (P) DNA (W) PRECIPITATE
- => log y
 U.S. Patent & Trademark Office LOGOFF AT 11:41:52 ON 08 DEC 1997